

## CÔNG TY CỔ PHẦN MORINAGA NUTRITIONAL FOODS VIỆT NAM

---- (3 6 8) -----

# BẢN TỰ CÔNG BỐ SẢN PHẨM Số: 18/MORINAGA/2024

THỨC ƯỚNG SỮA TRÁI CÂY VỊ DÂU ZINZIN

## CỘNG HÒA XÃ HỘI CHỦ NGHĨA VIỆT NAM Độc lập - Tự do - Hạnh phúc

### BẢN TỰ CÔNG BỐ SẢN PHẨM

Số: 18/MORINAGA/2024

### I. Thông tin về tổ chức tự công bố sản phẩm

Tên tổ chức: Công ty Cổ phần Morinaga Nutritional Foods Việt Nam

Địa chỉ: Khu công nghiệp Nam Phổ Yên, phường Thuận Thành, thành phố Phổ Yên, tỉnh

Thái Nguyên.

Điện thoại: 02083 666 669

Fax: 02083 866 474

Mã số doanh nghiệp: 4600285900

### II. Thông tin về sản phẩm

1. Tên sản phẩm: Thức uống sữa trái cây vị Dâu ZinZin

Phân nhóm sản phẩm: Thực phẩm bổ sung

2. Thành phần:

Nước, đường (đường kính, xirô fructose - glucose), sữa bột (26,3 g/L), xirô nước ép dâu (14,7 g/L), chất ổn định (466, 440), khoáng chất (calci gluconat, calci lactat), chất điều chỉnh độ axit (270, 330), dầu thực vật, hương liệu tổng hợp dùng cho thực phẩm (hương dâu), chất tạo ngọt tổng hợp (951, 950), màu tổng hợp (124), vitamin D3.

Sản phẩm có chứa sữa.

- 3. Thời hạn sử dụng sản phẩm: 8 tháng kể từ ngày sản xuất.
- 4. Quy cách đóng gói và chất liệu bao bì:
- 4.1. Quy cách đóng gói:

Đóng gói với thể tích thực: Hộp 110 ml, 180 ml.

(Sai số định lượng phù hợp với Thông tư số 21/2014/TT-BKHCN của Bộ Khoa học và Công nghệ).

### 4.2. Chất liệu bao bì:

Sản phẩm được chứa trong bao bì hộp giấy, bên trong là lớp PE chuyên dùng, ghép kín, đảm bảo yêu cầu an toàn thực phẩm theo QCVN 12-1:2011/BYT của Bộ Y tế.



### 5. Tên và địa chỉ cơ sở sản xuất sản phẩm:

Tên cơ sở: Công ty Cổ phần Morinaga Nutritional Foods Việt Nam.

Địa chỉ: Khu công nghiệp Nam Phổ Yên, phường Thuận Thành, thành phố Phổ Yên, tỉnh Thái Nguyên.

III. Mẫu nhãn sản phẩm (đính kèm mẫu nhãn sản phẩm)

### IV. Yêu cầu về an toàn thực phẩm

Tổ chức sản xuất, kinh doanh thực phẩm đạt yêu cầu về an toàn thực phẩm theo:

QCVN 8-1:2011/BYT: Quy chuẩn kỹ thuật quốc gia đối với giới hạn ô nhiễm độc tố vi nấm trong thực phẩm.

QCVN 8-2:2011/BYT: Quy chuẩn kỹ thuật quốc gia đối với giới hạn ô nhiễm kim loại nặng trong thực phẩm.

QCVN 8-3:2012/BYT: Quy chuẩn kỹ thuật quốc gia đối với ô nhiễm vi sinh vật trong thực phẩm.

QCVN 6-2: 2010/BYT: Quy chuẩn kỹ thuật quốc gia đối với các sản phẩm đồ uống không cồn

Thông tư số 24/2013/TT-BYT: Quy định mức giới hạn tối đa dư lượng thuốc thú y trong thực phẩm.

Thông tư số 50/2016/TT-BYT: Quy định giới hạn tối đa dư lượng thuốc bảo vệ thực vật trong thực phẩm.

Chúng tôi xin cam kết thực hiện đầy đủ các quy định của pháp luật về an toàn thực phẩm và hoàn toàn chịu trách nhiệm về tính pháp lý của hồ sơ công bố và chất lượng, an toàn thực phẩm đối với sản phẩm đã công bố./.

Thái Nguyên, ngày 25 tháng 3 năm 2024

DAL DIÈNT O CHÚC

CÔNG TY

CÔ PHÂN

MURITAGA

NUTRITIONAL FOODS

NUTRITIONAL FOODS

TỔNG GIÁM ĐỐC CHIHAYA TAKASHI



L&C xai Man M.T.linh 183.24

RXD xac' man



#### **ColourSafe Proof**

| System/size:  | TBA_200_SL    |
|---------------|---------------|
| Design ID:    | VN-T720-03    |
| Iteration:    | 001           |
| Proof ID:     | 51l7mj        |
| Customer SKU: |               |
| Printmethod:  | Flexo Process |
| Opening       | Straw         |
| Creation date | 22-Jan-24     |

#### About this proof

About this proof

This proof has been created to provide you with a reproduction of the design content comprising CMYK colour, positioning of text and imagery which will be visible on the final packaging material. On paper material where mottling will be visible in the final print, the proof attempt to simulate it as closely as possible, but variation can occur. Unless this proof has been supplied showing the values of each spot colour used in the design then the proof should only be used for the approval of design content and should not to be used as a guide to match spot colours with the final printed package. If the proof has been provided with an attached label then the proof can be used to give a close reproduction of the specified spot colours. Included on the proof will be the target colours shown as both a numeric and a Lab value. The delta E value is used to indicate how close the colour on the proof is to the target colour. If the colour reference is unclear The delta E value is used to indicate how close the colour on the proof is to the target colour. If the colour reference is unclear please contact your local Tetra Pak representative. As the colours of modern digital proofs will vary depend upon the lightning conditions under which they are viewed it is important that they are always assessed under a standard light of 5000K. If a proof is viewed under a light source with an incorrect colour temperature then the colours of the proof will not be correct and an approval should not be provided. The supplied MetaMeric Strip allows you to confirm whether the lighting conditions corresponds to standard illumination and whether an assessment is valid.

CÔNG TY Cổ PHẨN MƠM NAGA

**UTRITIONAL FOODS** VIỆT NAM

By providing approval to this proof you are confirming that the design content, colour and format is approved for production. As with any industrial process, certain production deviations can occur and, while we undertake to minimise all deviations, the final product may not be in exact conformance to this proof. For further details please refer to the Tetra Pak design manuals.

Please be aware that as the design owner you are fully responsible for the design in this proof, including ensuring that the design is not infringing any third party intellectual property rights and that all legal requirements in the jurisdiction of sale [of the package] is met.

signature: le Ho Pro Name: 22/01/24 Date:

> This proof is valid for design content and process colours only, spot colours are for reference only.











& X D xac nhân



#### ColourSafe Proof

| System/size:  | TBA_200_SL    |
|---------------|---------------|
| Design ID:    | VN-T720-03    |
| Iteration:    | 001           |
|               | atgvk0        |
| Customer SKU: | ÷             |
| Printmethod:  | Flexo Process |
| Opening       | Straw         |
| Creation date | 22-Jan-24     |

#### About this proof

About this proof

This proof has been created to provide you with a reproduction of the design content comprising CMYK colour, positioning of text and imagery which will be visible on the final packaging material. On paper material where mottling will be visible in the final print, the proof attempt to simulate it as closely as possible, but variation can occur. Unless this proof has been supplied showing the values of each spot colour used in the design then the proof should only be used for the approval of design content and should not to be used as a guide to match spot colours with the final printed package. If the proof has been provided with an attached label then the proof can be used to give a close reproduction of the specified spot colours. Included on the proof will be the target colour shown as both a numeric and a Lab value. The delta E value is used to indicate how close the colour on the proof is to the target colour. If the colour reference is unclear please contact your local Tetra Pak representative. As the colours of modern digital proofs will vary depend upon the lightning conditions under which they are viewed it is important that they are always assessed under a standard light of 5000K. If a proof is viewed under a light source with an incorrect colour temperature then the colours of the proof will not be correct and an approval should not be provided. The supplied MetaMeric Strip allows you to confirm whether the lighting conditions corresponds to standard illumination and whether an assessment is valid.

#### Approval

By providing approval to this proof you are confirming that the design content, colour and format is approved for production. As with any industrial process, certain production deviations can occur and, while we undertake to minimise all deviations, the final product may not be in exact conformance to this proof. For further details please refer to the Tetra Pak design manuals.

Please be aware that as the design owner you are fully responsible for the design in this proof, including ensuring that the design is not infringing any third party intellectual property rights and that all legal requirements in the jurisdiction of sale [of the package] is met.

CÔNG TY Signature: CỔ PHẦN MORINAGA MUTRITIONAL FOODS Name: ate: 22/01/24 VIỆT NAM

This proof is valid for design content and process colours only, spot colours are for reference only.









Lac Xai usain nth 17. T. UWS 18.3.24



KSD xac shan





### **ColourSafe Proof**

| TBA_200_SL    |
|---------------|
| VN-T720-03    |
| 001           |
| 1wya95        |
|               |
| Flexo Process |
| Straw         |
| 22-Jan-24     |
|               |

#### About this proof

About this proof

This proof has been created to provide you with a reproduction of the design content comprising CMYK colour, positioning of text and imagery which will be visible on the final packaging material. On paper material where mottling will be visible in the final print, the proof attempt to simulate it as closely as possible, but variation can occur. Unless this proof has been supplied showing the values of each spot colour used in the design then the proof should only be used for the approval of design content and should not to be used as a guide to match spot colours with the final printed package. If the proof has been provided with an attached label then the proof can be used to give a close reproduction of the specified spot colours. Included on the proof will be the target colours shown as both a numeric and a Lab value. The delta E value is used to indicate how close the colour on the proof is to the target colour. If the colour reference is unclear please contact your local Tetra Pak representative. As the colours of modern digital proofs will vary depend upon the lightning conditions under which they are viewed it is important that they are always assessed under a standard light of 5000K. If a proof is viewed under a light source with an incorrect colour temperature then the colours of the proof will not be correct and an approval should not be provided. The supplied MetaMeric Strip allows you to confirm whether the lighting conditions corresponds to standard illumination and whether an assessment is valid.

#### Approval

By providing approval to this proof you are confirming that the design content, colour and format is approved for production. As with any industrial process, certain production deviations can occur and, while we undertake to minimise all deviations, the final product may not be in exact conformance to this proof. For further details please refer to the Tetra Pak design man

Please be aware that as the design owner you are fully responsible for the design in this proof, including ensuring that the design is not infringing any third party intellectual property rights and that all legal requirements in the jurisdiction of sale [of the package] is met.

Signature: 6-16-That Name: 29/01/24 Date:

> This proof is valid for design content and process colours only, spot colours are for reference only.















L&C xal nhân nflih H.T. link 13.3.24

R & D xac'nhan

8/3/24 CÔNG TY CỐ PHẨN **MORINAGA** NUTRITIONAL FOODS VIỆT NAM



#### ColourSafe Proof

| System/size:  | TBA_125_SL    |
|---------------|---------------|
| Design ID:    | VN-T719-02    |
| Iteration:    | 001           |
|               | 5ovxwa        |
|               |               |
| Printmethod:  | Flexo Process |
| Opening       | Straw         |
| Creation date | 22-Jan-24     |
|               |               |

#### About this proof

About this proof

This proof has been created to provide you with a reproduction of the design content comprising CMYK colour, positioning of text and imagery which will be visible on the final packaging material. On paper material where mottling will be visible in the final print, the proof attempt to simulate it as closely as possible, but variation can occur. Unless this proof has been supplied showing the values of each spot colour used in the design then the proof should only be used for the approval of design content and should not to be used as a guide to match spot colours with the final printed package. If the proof has been provided with an attached label then the proof can be used to give a close reproduction of the specified spot colours. Included on the proof will be the target colours shown as both a numeric and a Lab value. The delta E value is used to indicate how close the colour on the proof is to the target colour. If the colour reference is unclear please contact your local Tetra Pak representative. As the colours of modern digital proofs will vary depend upon the lightning conditions under which they are viewed it is important that they are always assessed under a standard light of 5000K. If a proof is viewed under a light source with an incorrect colour temperature then the colours of the proof will not be correct and an approval should not be provided. The supplied MetaMeric Strip allows you to confirm whether the lighting conditions corresponds to standard illumination and whether an assessment is valid.

#### Approval

By providing approval to this proof you are confirming that the design content, colour and format is approved for production. As with any industrial process, certain production deviations can occur and, while we undertake to minimise all deviations, the final product may not be in exact conformance to this proof. For further details please refer to the Tetra Pak design manuals.

Please be aware that as the design owner you are fully responsible for the design in this proof, including ensuring that the design is not infringing any third party intellectual property rights and that all legal requirements in the jurisdiction of sale [of the package] is met.

Signature:

Name:

22/61/24 Date:

> This proof is valid for design content and process colours only, spot colours are for reference only.











RXD xac' man 02859 Q/3/2 CONGTY



#### ColourSafe Proof

| System/size:  | TBA_125_SL    |
|---------------|---------------|
| Design ID:    |               |
| Iteration:    |               |
| Proof ID:     |               |
| Customer SKU: |               |
| Printmethod:  | Flexo Process |
| Opening       | Straw         |
| Creation date | 22-Jan-24     |

#### About this proof

About this proof

This proof has been created to provide you with a reproduction of the design content comprising CMYK colour, positioning of text and imagery which will be visible on the final packaging material. On paper material where mottling will be visible in the final print, the proof attempt to simulate it as closely as possible, but variation can occur. Unless this proof has been supplied showing the values of each spot colour used in the design then the proof should only be used for the approval of design content and should not to be used as a guide to match spot colours with the final printed package. If the proof has been provided with an attached label then the proof can be used to give a close reproduction of the specified spot colours. Included on the proof will be the target colours shown as both a numeric and a Lab value. The delta E value is used to indicate how close the colour on the proof is to the target colour. If the colour reference is unclear please contact your local Tetra Pak representative. As the colours of modern digital proofs will vary depend upon the lightning conditions under which they are viewed it is important that they are always assessed under a standard light of 5000K. If a proof is viewed under a light source with an incorrect colour temperature then the colours of the proof will not be correct and an approval should not be provided. The supplied MetaMeric Strip allows you to confirm whether the lighting conditions corresponds to standard illumination and whether an assessment is valid.

#### Approval

CỔ PHẦN **MORINAGA** NUTRITIONAL FOODS VIỆT NAM

Approval

By providing approval to this proof you are confirming that the design content, colour and format is approved for production.

As with any industrial process, certain production deviations can occur and, while we undertake to minimise all deviations, the final product may not be in exact conformance to this proof.

For further details please refer to the Tetra Pak design manuals.

Please be aware that as the design owner you are fully responsible for the design in this proof, including ensuring that the design is not infringing any third party intellectual property rights and that all legal requirements in the iprisdiction of sale [of the package] is met.

Signature:

to Ho Thal Name:

29/01/24 Date:

> This proof is valid for design content and process colours only, spot colours are for reference only.











La C Xai whah

nfbly
11.T. Uns 13.3.24

RXV xac sån

4600285 CÔNG TY CỔ PHẦN



#### ColourSafe Proof

| System/size:  | TBA_125_SL    |
|---------------|---------------|
| Design ID:    | VN-T719-02    |
| Iteration:    | 001           |
|               | a4851h        |
|               |               |
| Printmethod:  | Flexo Process |
| Opening       | Straw         |
| Creation date | 22-Jan-24     |
|               |               |

#### About this proof

About this proof

This proof has been created to provide you with a reproduction of the design content comprising CMYK colour, positioning of text and imagery which will be visible on the final packaging material. On paper material where mottling will be visible in the final print, the proof attempt to simulate it as closely as possible, but variation can occur. Unless this proof has been supplied showing the values of each spot colour used in the design then the proof should only be used for the approval of design content and should not to be used as a guide to match spot colours with the final printed package. If the proof has been provided with an attached label then the proof can be used to give a close reproduction of the specified spot colours. Included on the proof will be the target colours shown as both a numeric and a Lab value. The delta E value is used to indicate how close the colour on the proof is to the target colour. If the colour reference is unclear please contact your local Tetra Pak representative. As the colours of modern digital proofs will vary depend upon the lightning conditions under which they are viewed it is important that they are always assessed under a standard light of 5000K. If a proof is viewed under a light source with an incorrect colour temperature then the colours of the proof will not be correct and an approval should not be provided. The supplied MetaMeric Strip allows you to confirm whether the lighting conditions corresponds to standard illumination and whether an assessment is valid.

#### Approval

By providing approval to this proof you are confirming that the design content, colour and format is approved for production. As with any industrial process, certain production deviations can occur and, while we undertake to minimise all deviations, the final product may not be in exact conformance to this proof. For further details please refer to the Tetra Pak design manuals.

Rease be aware that as the design owner you are fully responsible for the design in this proof, including ensuring that the design is not infringing any third party intellectual property rights and that all legal requirements in the intringing of the package] is met. MORINAGA NUTRITIONAL FOODS

Signature:

Name:

VIỆT NAM

W-T.THA

Date:

29/01/24

This proof is valid for design content and process colours only, spot colours are for reference only.









L&C xad Mais Mbh H.T. lind 13.8.24

R x D xac' man





#### ColourSafe Proof

| System/size:  | TBA_125_SL    |
|---------------|---------------|
| Design ID:    | VN-T719-02    |
| Iteration:    | 001           |
| Proof ID:     | 99oqb2        |
|               | <u> </u>      |
| Printmethod:  | Flexo Process |
| Opening       | Straw         |
| Creation date | 22-Jan-24     |

#### **About this proof**

About this proof

This proof has been created to provide you with a reproduction of the design content comprising CMYK colour, positioning of text and imagery which will be visible on the final packaging material. On paper material where mottling will be visible in the final print, the proof attempt to simulate it as closely as possible, but variation can occur. Unless this proof has been supplied showing the values of each spot colour used in the design then the proof should only be used for the approval of design content and should not to be used as a guide to match spot colours with the final printed package. If the proof has been provided with an attached label then the proof can be used to give a close reproduction of the specified spot colours. Included on the proof will be the target colours shown as both a numeric and a Lab value. The delta E value is used to indicate how close the colour on the proof is to the target colour. If the colour reference is unclear please contact your local Tetra Pak representative. As the colours of modern digital proofs will vary depend upon the lightning conditions under which they are viewed it is important that they are always assessed under a standard light of 5000K. If a proof is viewed under a light source with an incorrect colour temperature then the colours of the proof will not be correct and an approval should not be provided. The supplied MetaMeric Strip allows you to confirm whether the lighting conditions corresponds to standard illumination and whether an assessment is valid.

By providing approval to this proof you are confirming that the design content, colour and format is approved for production. As with any industrial process, certain production deviations can occur and, while we undertake to minimise all deviations, the final product may not be in exact conformance to this proof. For further details please refer to the Tetra Pak design manuals.

For further details please rerer to the level and design must Please be aware that as the design owner you are fully responsible for the design in this proof, including ensuring that the design is not infringing any third party intellectual openty rights and that all legal requirements in the juried action of sale [of the package] is met.

Signature:

Name:

6-16 The

Date: 22/01/29

CỘNG TY

UTRITIONAL FOOD VIỆT NAM

Cổ PHẨN MGRINAGA

This proof is valid for design content and process colours only,



















Page Nº 1/9

Ho Chi Minh City, Date: March 25, 2024

TP. Hồ Chí Minh, Ngày: 25/03/2024

JOB NO.: 2403A-0950

Đơn hàng: 2403A-0950

CLIENT'S NAME Tên khách hàng : MORINAGA NUTRITIONAL FOODS VIETNAM JOINT STOCK COMPANY CÔNG TY CÔ PHẦN MORINAGA NUTRITIONAL FOODS VIỆT NAM

CLIENT'S ADDRESS

ANALYSIS REPORT

BÁO CÁO PHÂN TÍCH

: NAM PHO YEN INDUSTRIAL PARK, THUAN THANH WARD, PHO YEN CITY, THAI

Đia chỉ

NGUYEN PROVINCE, VIETNAM KCN NAM PHÓ YÊN, PHƯỜNG THUẬN THÀNH, THÀNH PHÓ PHÔ YÊN, TỈNH THÁI

NGUYÊN, VIỆT NAM

SAMPLE INFORMATION:

THÔNG TIN MẪU

Sampled/ Submitted by

Được lấy/ gửi bởi

: Client

: Khách hàng

Client's reference

Chú thích của khách hàng

: Thức uống Sữa trái cây vị dâu Zinzin

The above information is submitted and identified by the client/applicant. Các thông tin trên được cung cấp và nhận dạng bởi khách hàng/người yêu cầu.

Sample description

Mô tả mẫu

Beverage (approx. gr. wt. 1.484kg) in 12 full labeled paper

containers

: Thức uống (khoảng 1.484kg bao gồm bao bì) chứa trong 12 vật chứa bằng

giấy nhãn mác đầy đủ

Sample ID

Mã số mẫu

2403A-0950.001

Date sample(s) received

Ngày nhận mẫu

: March 08, 2024

08/03/2024

Testing period

March 08, 2024 - March 14, 2024

Thời gian thử nghiệm

: 08/03/2024 - 14/03/2024

Test(s) requested

: As applicant's requirement

Yêu cầu thử nghiệm

: Theo yêu cầu của khách hàng

Test result(s)

Please refer to the next page(s)

Kết quả kiểm nghiệm

: Vui lòng tham khảo trang sau



198 Nguyen Thi Minh Khai St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam <u>HCM Laboratory:</u> Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam t(84-28) 3935 1920 f(84-28) 3935 1921 www.sqs.vn

This document is issued by the Company subject to its General Conditions of Service <a href="http://www.sas.com/en/Terms-and-Conditions.aspx2">http://www.sas.com/en/Terms-and-Conditions.aspx2</a>. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.







Page N° 2/9

#### TEST RESULT(S)

KÊT QUẢ KIỆM NGHIỆM

|     | Analyte<br>Chỉ tiêu phận tích  | Method<br>Phương pháp          | Result<br>Kết quả               | LOD   | LOQ  | Unit<br>Đơn vị | Remark<br>Chú thíci |
|-----|--|--------------------------------|---------------------------------|-------|------|----------------|---------------------|
| 1.  | Total Plate Count (Mesophilic aerobic microorganism)  Tổng số vi sinh vật hiếu khí   | ISO 4833-1:2013/ Amd<br>1:2022 | <1                              | -     | 1    | cfu/mL         |                     |
| 2.  | Total Coliforms  Coliform tổng   | ISO 4832:2006                  | <1                              | -     | 1    | cfu/mL         |                     |
| 3.  | Clostridium perfringens Clostridium perfringens  | ISO 7937:2004                  | <1                              | -     | 1    | cfu/mL         |                     |
| 4.  | Enterobacteriaceae  Enterobacteriaceae   | ISO 21528-2:2017               | <1                              | -     | 1    | cfu/mL         |                     |
| 5.  | E. coli<br>E. coli   | ISO 16649-2:2001               | <1                              | -     | 1    | cfu/mL         |                     |
| 6.  | Listeria monocytogenes  Listeria monocytogenes   | ISO 11290-2:2017               | <1                              | -     | 1    | cfu/mL         |                     |
| 7.  | Pseudomonas aeruginosa Pseudomonas aeruginosa  | LFOD-TST-SOP-8930              | <1                              | -     | 1    | cfu/mL         |                     |
| 8.  | Faecal streptococci Liên cầu khuẩn đường ruột  | BS 4285-3.11:1985              | <1                              | -     | 1    | cfu/mL         |                     |
| 9.  | Staphylococcus aureus Staphylococcus aureus  | US FDA BAM Chapter 12          | <1                              | -     | 1    | cfu/mL         |                     |
| 10. | Total Yeast and Mold  Tổng nấm men và nấm mốc  | ISO 21527-1:2008               | <1                              | -     | 1    | cfu/mL         |                     |
| 11. | Aflatoxin M1  Aflatoxin M1   | ISO 14501:2021                 | Not Detected  Không phát hiện   | 0.003 | 0.01 | µg/kg          |                     |
| 12. | Gentamicin (sum of gentamicin C1, gentamicin C1a, gentamicin C2 and gentamicin C2a)  Gentamicin (tổng của gentamicin C1, gentamicin C1a, gentamicin C2 | CATH-LFOD-TST-SOP-<br>8002 (1) | Not Detected  Không phát hiện   | 10    | 30   | µg/L           |                     |
| 13. | và gentamicin C2a)  Streptomycin (Sum of dihydrostreptomycin and streptomycin)  Streptomycin (Tổng của dihydrostreptomycin và                          | CATH-LFOD-TST-SOP-<br>8002 (1) | Not Detected<br>Không phát hiện | _(a)  | _(a) | µg/L           |                     |

#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khal St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam 

HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, 
Tan Phu Dist., Ho Chi Minh City, Vietnam 
Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St., 
Tra Noc 2 IZ, Phuoc Thol Ward, O Mon Dist., Can Tho City, Vietnam 

104.103 2055 1009

t(84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn







Page N° 3/9

|     | Analyte<br>Chỉ tiêu phân tích        | Method<br>Phương pháp | Result<br>Kết quả | LOD  | LOQ  | Unit<br>Đơn vị    | Remark<br>Chú thíci |
|-----|--------------------------------------|-----------------------|-------------------|------|------|-------------------|---------------------|
| 14. | Dihydrostreptomycin                  | CATH-LFOD-TST-SOP-    | Not Detected      | 10   | 30   | µg/L              |                     |
|     | Dihydrostreptomycin                  | 8002 (1)              | Không phát hiện   |      |      |                   |                     |
| 15. | Streptomycin                         | CATH-LFOD-TST-SOP-    | Not Detected      | 10   | 30   | μg/L              |                     |
|     | Streptomycin                         | 8002 (1)              | Không phát hiện   |      |      |                   |                     |
| 16. | Neomycin (sum of Neomycin B and      | CATH-LFOD-TST-SOP-    | Not Detected      | 10   | 30   | μg/L              |                     |
|     | Neomycin C)                          | 8002 (1)              | Không phát hiện   |      |      |                   | 1                   |
|     | Neomycin (tổng của Neomycin B        |                       |                   |      |      |                   |                     |
|     | và Neomycin C)                       |                       |                   |      |      |                   |                     |
| 17. | Spectinomycin                        | CATH-LFOD-TST-SOP-    | Not Detected      | 10   | 30   | µg/L              | 1                   |
|     | Spectinomycin                        | 8002 (1)              | Không phát hiện   |      |      | , -               |                     |
| 18. | Dexamethasone                        | CATH-LFOD-TST-SOP-    | Not Detected      | 0.1  | 0.3  | μg/L              | 1                   |
|     | Dexamethasone                        | 8004 (1)              | Không phát hiện   |      |      | , 0               |                     |
| 19. | Ceftiofur (sum of ceftiofur,         | CATH-LFOD-TST- SOP-   | Not Detected      | 6    | 20   | µg/L              |                     |
|     | desfuroylceftiofur and metabolites   | 8008 (1)              | Không phát hiện   |      |      | , 0               |                     |
|     | convertible to desfuroylceftiofur by |                       |                   |      |      |                   |                     |
|     | dithioerythritol, expressed as       |                       |                   |      |      |                   |                     |
|     | ceftiofur)                           |                       |                   |      |      |                   |                     |
|     | Ceftiofur (tổng của ceftiofur,       |                       |                   |      |      |                   |                     |
|     | desfuroylceftiofur và bao gồm các    |                       |                   |      |      |                   |                     |
|     | chất chuyển hóa khác được chuyển     |                       |                   |      |      |                   |                     |
|     | về desfuroylceftiofur bằng           |                       |                   |      |      |                   | 1                   |
|     | dithioerythritol, được qui về        |                       |                   |      |      |                   |                     |
|     | ceftiofur)                           |                       |                   |      |      |                   |                     |
| 20. | Colistin (sum of Colistin A and      | CATH-LFOD-TST-SOP-    | Not Detected      | _(a) | _(a) | μg/L              |                     |
|     | Colistin B)                          | 8021 (1)              | Không phát hiện   | _(-/ | _(~) | F-5/-             |                     |
|     | Colistin (Tổng của Colistin A và     |                       |                   |      |      |                   |                     |
|     | Colistin B)                          |                       |                   |      |      |                   |                     |
| 21. | Colistin B                           | CATH-LFOD-TST-SOP-    | Not Detected      | 20   | 50   | μg/L              | 1                   |
|     | Colistin B                           | 8021 (1)              | Không phát hiện   |      |      | F3, -             |                     |
| 22. | Colistin A                           | CATH-LFOD-TST-SOP-    | Not Detected      | 20   | 50   | μg/L              |                     |
|     | Colistin A                           | 8021 (1)              | Không phát hiện   | -    |      | -9                |                     |
| 23. | Penethamate (determined and          | CATH-LFOD-TST-SOP-    | Not Detected      | 1    | 3    | μg/L              |                     |
|     | expressed as Benzylpenicillin)       | 8041 (1)              | Không phát hiện   |      |      | r-9. <del>-</del> |                     |
|     | Penethamate (được xác định và        |                       |                   |      |      |                   |                     |
|     | quy về Benzylpenicillin)             |                       |                   |      |      |                   |                     |
| 24. | Diminazene                           | CATH-LFOD-TST-SOP-    | Not Detected      | 10   | 30   | μg/L              | 1                   |
|     | Diminazene                           | 8041 (1)              | Không phát hiện   |      |      | r3'-              |                     |

#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam <u>HCM Laboratory:</u> Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam <u>Can Tho Laboratory:</u> Korea - VN Incubator Park in Can Tho, 8th St.,

Can Tho Laboratory; Korea - VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam t(84-28) 3935 1920 f(84-28) 3935 1921 www.sas.vn

of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

This document is issued by the Company subject to its General Conditions of Service <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.







Page Nº 4/9

|     | Analyte<br>Chỉ tiêu phân tích     | Method<br>Phương pháp | Result<br>Kết quả | LOD  | LOQ  | Unit<br>Đơn vị | Remark<br>Chú thích |
|-----|-----------------------------------|-----------------------|-------------------|------|------|----------------|---------------------|
| 25. | Isometamidium                     | CATH-LFOD-TST-SOP-    | Not Detected      | 10   | 30   | µg/L           |                     |
|     | Isometamidium                     | 8041 (1)              | Không phát hiện   |      |      |                |                     |
| 26. | Pirlimycin                        | CATH-LFOD-TST-SOP-    | Not Detected      | 1    | 3    | μg/L           |                     |
|     | Pirlimycin                        | 8041 (1)              | Không phát hiện   |      |      |                |                     |
| 27. | Spiramycin (sum of Spiramycin and | CATH-LFOD-TST-SOP-    | Not Detected      | _(a) | _(a) | μg/L           |                     |
|     | Neospiramycin expressed as        | 8041 (1)              | Không phát hiện   |      |      |                |                     |
|     | Spiramycin)                       |                       |                   |      |      |                |                     |
|     | Spiramycin (tổng của Spiramycin   |                       |                   |      |      |                |                     |
|     | và Neospiramycin được quy về      |                       |                   |      |      |                |                     |
|     | Spiramycin)                       |                       |                   |      |      |                |                     |
| 28. | Neospiramycin                     | CATH-LFOD-TST-SOP-    | Not Detected      | 10   | 30   | μg/L           |                     |
|     | Neospiramycin                     | 8041 (1)              | Không phát hiện   |      |      |                |                     |
| 29. | Spiramycin                        | CATH-LFOD-TST-SOP-    | Not Detected      | 10   | 30   | μg/L           |                     |
|     | Spiramycin                        | 8041 (1)              | Không phát hiện   |      |      |                |                     |
| 30. | Tylosin                           | CATH-LFOD-TST-SOP-    | Not Detected      | 1    | 3    | μg/L           |                     |
|     | Tylosin                           | 8041 (1)              | Không phát hiện   |      |      |                |                     |
| 31. | Lincomycin                        | CATH-LFOD-TST-SOP-    | Not Detected      | 1    | 3    | μg/kg          |                     |
|     | Lincomycin                        | 8041 (1)              | Không phát hiện   |      |      |                |                     |
| 32. | Amoxicillin                       | CATH-LFOD-TST-SOP-    | Not Detected      | 1    | 3    | µg/kg          |                     |
|     | Amoxicillin                       | 8041 (1)              | Không phát hiện   |      |      |                |                     |
| 33. | Albendazole                       | CATH-LFOD-TST-SOP-    | Not Detected      | 0.3  | 1    | μg/L           |                     |
|     | Albendazole                       | 8042 (1)              | Không phát hiện   |      |      |                |                     |
| 34. | Doramectin                        | CATH-LFOD-TST-SOP-    | Not Detected      | 2    | 5    | μg/L           |                     |
|     | Doramectin                        | 8042 (1)              | Không phát hiện   |      |      |                |                     |
| 35. | Febantel                          | CATH-LFOD-TST-SOP-    | Not Detected      | 0.3  | 1    | μg/L           |                     |
|     | Febantel                          | 8042 (1)              | Không phát hiện   |      |      |                |                     |
| 36. | Fenbendazole (sum of              | CATH-LFOD-TST-SOP-    | Not Detected      | _(a) | _(a) | μg/L           |                     |
|     | fenbendazole, oxfendazole and     | 8042 (1)              | Không phát hiện   |      |      |                |                     |
|     | oxfendazole sufhone, expressed as |                       |                   |      |      |                |                     |
|     | oxfendazole sufone)               |                       |                   |      |      |                |                     |
|     | Fenbendazole (tổng của            |                       |                   |      |      |                |                     |
|     | fenbendazole, oxfendazole and     |                       |                   |      |      |                |                     |
|     | oxfendazole sulfone, quy về       |                       |                   |      |      |                |                     |
|     | oxfendazole sulfone)              |                       |                   |      |      |                |                     |
| 37. | Fenbendazole                      | CATH-LFOD-TST-SOP-    | Not Detected      | 0.3  | 1    | µg/L           |                     |
|     | Fenbendazole                      | 8042 (1)              | Không phát hiện   |      |      | . •            |                     |
| 38. | Oxfendazole                       | CATH-LFOD-TST-SOP-    | Not Detected      | 0.3  | 1    | µg/L           |                     |
|     | Oxfendazole                       | 8042 (1)              | Không phát hiện   |      |      | . •            |                     |

#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam t(84-28) 3935 1920 f(84-28) 3935 1921 www.sqs.vn

This document is issued by the Company subject to its General Conditions of Service <a href="http://www.sqs.com/en/Terms-and-Conditions.aspx">http://www.sqs.com/en/Terms-and-Conditions.aspx</a>. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Page N° 5/9

|     | Analyte<br>Chỉ tiêu phân tích  | Method<br>Phương pháp | Result<br>Kết quả | LOD  | LOQ  | Unit<br>Đơn vi | Remark<br>Chú thíci |
|-----|--------------------------------|-----------------------|-------------------|------|------|----------------|---------------------|
| 39. | Oxfendazole sulfone            | CATH-LFOD-TST-SOP-    | Not Detected      | 0.3  | 1    | μg/L           |                     |
|     | Oxfendazole sulfone            | 8042 (1)              | Không phát hiện   |      |      |                |                     |
| 40. | Imidocarb                      | CATH-LFOD-TST-SOP-    | Not Detected      | 0.3  | 1    | μg/L           |                     |
|     | Imidocarb                      | 8042 (1)              | Không phát hiện   |      |      |                |                     |
| 41. | Ivermectin                     | CATH-LFOD-TST-SOP-    | Not Detected      | 2    | 5    | μg/L           |                     |
|     | (22,23-dihydro-avermectin B1a) | 8042 (1)              | Không phát hiện   |      |      |                |                     |
|     | Ivermectin                     |                       |                   |      |      |                |                     |
|     | (22,23-dihydro-avermectin B1a) |                       |                   |      |      |                |                     |
| 42. | Monensin                       | CATH-LFOD-TST-SOP-    | Not Detected      | 0.3  | 1    | μg/L           |                     |
|     | Monensin                       | 8042 (1)              | Không phát hiện   |      |      |                |                     |
| 43. | Thiabendazole (sum of          | CATH-LFOD-TST-SOP-    | Not Detected      | _(a) | _(a) | μg/L           |                     |
|     | Thiabendazole and              | 8042 (1)              | Không phát hiện   |      |      |                |                     |
|     | 5-hydroxy-Thiabendazole)       |                       |                   |      |      |                |                     |
|     | Thiabendazole (tổng của        |                       |                   |      |      |                |                     |
|     | Thiabendazole và               |                       |                   |      |      |                |                     |
|     | 5-hydroxy-Thiabendazole)       |                       |                   |      |      |                |                     |
| 44. | Thiabendazole                  | CATH-LFOD-TST-SOP-    | Not Detected      | 1    | 3    | μg/L           |                     |
|     | Thiabendazole                  | 8042 (1)              | Không phát hiện   |      |      |                |                     |
| 45. | Thiabendazole, 5-hydroxy-      | CATH-LFOD-TST-SOP-    | Not Detected      | 1    | 3    | μg/L           |                     |
| -   | Thiabendazole, 5-hydroxy-      | 8042 (1)              | Không phát hiện   |      |      |                |                     |
| 46. | Trichlorfon (Dipterex)         | CATH-LFOD-TST-SOP-    | Not Detected      | 0.3  | 1    | μg/L           |                     |
|     | Trichlorfon (Dipterex)         | 8042 (1)              | Không phát hiện   |      |      |                |                     |
| 47. | Eprinomectin (determined and   | CATH-LFOD-TST-SOP-    | Not Detected      | 3    | 10   | µg/L           |                     |
|     | expressed as Eprinomectin B1a) | 8042 (1)              | Không phát hiện   |      |      |                |                     |
|     | Eprinomectin (được xác định và |                       |                   |      |      |                |                     |
|     | quy về Eprinomectin B1a)       |                       |                   |      |      |                |                     |
| 48. | Sulfamethazine (Sulfadimidine) | CATH-LFOD-TST-SOP-    | Not Detected      | 1    | 3    | μg/L           |                     |
|     | Sulfamethazine (Sulfadimidine) | 8042 (1)              | Không phát hiện   |      |      |                |                     |
| 49. | Clenbuterol                    | CATH-LFOD-TST-SOP-    | Not Detected      | 0.02 | 0.05 | μg/L           |                     |
|     | Clenbuterol                    | 8000 (1)              | Không phát hiện   |      | l    | . •            |                     |
| 50. | Chlortetracycline (CTC)        | CATH-LFOD-TST-        | Not Detected      | 0.5  | 1.5  | μg/L           |                     |
|     | Chlortetracycline (CTC)        | SOP-8015 (1)          | Không phát hiện   |      |      | . •            |                     |
| 51. | Oxytetracycline (OTC)          | CATH-LFOD-TST-        | Not Detected      | 0.3  | 1    | μg/L           |                     |
|     | Oxytetracycline (OTC)          | SOP-8015 (1)          | Không phát hiện   |      |      |                |                     |
| 52. | Tetracycline (TC)              | CATH-LFOD-TST-        | Not Detected      | 0.3  | 1    | μg/L           |                     |
|     | Tetracycline (TC)              | SOP-8015 (1)          | Không phát hiện   |      |      | . 4            |                     |
| 53. | Arsenic (As)                   | AOAC 2013.06          | Not Detected      | _    | 0.01 | mg/L           |                     |
|     | Asen                           |                       | Không phát hiện   |      |      |                |                     |



#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam

Can The Laboratory: Korea - VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam t(84-28) 3935 1920 f(84-28) 3935 1921 www.sqs.vn







Page Nº 6/9

|     | Analyte<br>Chỉ tiêu phân tích  | Method<br>Phương pháp                      | Result<br>Kết quả               | LOD | LOQ   | Unit<br>Đơn vị | Remark<br>Chú thích |
|-----|--|--|---------------------------------|-----|-------|----------------|---------------------|
| 54. | Cadmium (Cd)<br>Cadimi   | AOAC 2013.06                               | Not Detected  Không phát hiện   | -   | 0.005 | mg/L           |                     |
| 55. | Mercury (Hg)<br><i>Thủy ngân</i>   | AOAC 2013.06                               | Not Detected  Không phát hiện   | -   | 0.01  | mg/L           |                     |
| 56. | Lead (Pb)<br><i>Chi</i>  | AOAC 2013.06                               | Not Detected  Không phát hiện   | -   | 0.01  | mg/L           |                     |
| 57. | Pesticides by LC & GC-MS/MS <sup>(w)</sup> Thuốc bảo vệ thực vật bởi LC & GC-MS/MS | Refer to the note  Tham khảo phần ghi  chú | Not Detected<br>Không phát hiện | -   | -     | mg/kg          |                     |

#### Note/Ghi chú:

- All methods were accredited with ISO 17025 by BoA or AOSC (without or with a triangle symbol (Δ) after the methods, respectively), except for the methods/analytes marked with an asterisk (\*).
  - Tất cả phương pháp được công nhận ISO 17025 bởi BoA hoặc AOSC (không có hoặc có kí hiệu hình tam giác (Δ) tương ứng ngay sau phương pháp), ngoại trừ những phương pháp/chỉ tiêu được đánh dấu một sao (\*).
- All methods were performed by SGS Vietnam Ltd (the ones marked with the superscript number one (1) were performed by SGS Can Tho Lab), except for the ones that were done by subcontractors (their names were mentioned in the parentheses after the method) and marked with two asterisks (\*\*) after the analyte name.
  - Tất cả phương pháp thử được thực hiện bởi Công ty SGS Việt Nam TNHH (phương pháp được đánh dấu với chữ số một bên trên (¹) được thực hiện bởi PTN SGS Cần Thơ), trừ các phương pháp được thực hiện bởi nhà thầu phụ (tên nhà thầu phụ được đề cập trong ngoặc đơn ngay sau phương pháp) và được đánh dấu hai sao (\*\*) sau tên chỉ tiêu.
- All methods (e.g.: AOAC, AOCS, AACC, AAFCO, SMEWW, CMMEF, SGS Laboratory developed method...) not stated with the published year were on the latest version at the time the tests were conducted.
  - Tất cả các phương pháp (như AOAC, AOCS, AACC, AAFCO, SMEWW, CMMEF, phương pháp thử nội bộ...) không được công bố năm ban hành đều là phiên bản mới nhất tại thời điểm kiểm nghiệm.
- Testing time of all analytes was stated in the "Testing Period" (page 1) unless specified separately.
  Thời gian thử nghiệm của tắt cả chỉ tiêu phân tích được để cập tại "Thời gian thử nghiệm" (trang 1) trừ khi được chỉ rỗ riêng.
- (w) Values below or equal to limit of detection, unless listed above. The test items are listed in the annex enclosed.
   (w) N\u00edu kh\u00f6ng du\u00fcc li\u00e9t k\u00e8 b\u00e8n tr\u00e9n tr\u00e9n t\u00e9n\u00e9n tr\u00e9n gh\u00fc\u00e9n k\u00e9n nh\u00e3 h\u00e9n b\u00e9n gi\u00fci h\u00e4n ph\u00e4t hi\u00e9n. C\u00e4c chi ti\u00e9u th\u00fc nghi\u00e9m du\u00fcc li\u00e9t k\u00e9n trong ph\u00e4 luc k\u00e8m theo.
- LOD = Limit of Detection. LOD is referred to the estimated Level of Detection at 50% of probability of detection (eLOD50) when applied to the qualitative microbiological analytes, Probability of Detection (POD) when applied to qualitative chemical analytes, or Probability of Identification (POI) when applied to identification analytes. The result of the analyte with the concentration below or equal to LOD is reported as Not Detected.

  LOD = Giới hạn phát hiện. LOD ứng với mức phát hiện ước lượng mà 50% các phép thử nghiệm cho kết quả dương tính (eLOD50) khi áp dụng cho chỉ tiêu vi sinh định tính, khả năng phát hiện (POD) khi áp dụng cho chỉ tiêu hóa định tính hoặc khả năng định danh (POI) khi áp dụng cho chỉ tiêu nhận danh. Kết quả chất phân tích nhỏ hơn hoặc bằng LOD được báo cáo là Không phát hiện.
  - LOQ = Limit of Quantification. When the chemical analyte is detected but its concentration is below limit of quantifation (LOQ), the result is reported as <LOQ; except for metal analytes that are reported as Not Detected. If the quantifiable result was calculated from individual analytes, it was done using unrounded single values without the ones below LOQ, or it was expressed as less than the sum of the individual LOQs of detected analytes when the concentration of all detected analytes was <LOQ. For microbiological analytes, according to the plate count testing method with the initial dilution factor of 10, the result of the sample that the relevant colonies were not formed was reported as <10 cfu/g (or <10 cfu/mL) if 1 mL of the diluted solution was incubated, <100 cfu/g (or <100 cfu/mL) for samples with further dilution of 10, <1 cfu/mL for pipettable samples without dilution, <10 cfu/sample (or <10 cfu/swab) for hygiene environment samples that are required to report on whole tested samples, or <10 cfu/area for hygiene environment samples that are required to report on whole tested samples, or <10 cfu/area for hygiene environment samples that the relevant colonies were not formed was reported as <1 cfu per sample volume tested; according to MPN technique if there were no suspected reactions after required incubation period, the result was negative and reported as 0 MPN/g (or 0 MPN/mL) for samples without further dilution (i.e. sample amount of 1 g (or 1 mL) in the series of the highest concentration tubes), 0 MPN/0.1g (or 0 MPN/0.1mL) for water samples (i.e. sample amount of 10 mL in the series of the highest concentration tubes).

#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam t(84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn This document is issued by the Company subject to its General Conditions of Service 

\[
\( \Leftity: \frac{\text{Norwn.sqs.com/en/Terms-and-Conditions.aspx>}{\text{ps://www.sqs.com/en/Terms-and-Conditions.aspx>}}. \( \) Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











Page N° 7/9

hiện là <LOQ; ngoại trừ các chỉ tiêu kim loại thì kết quả được thể hiện là Không phát hiện. Nếu kết quả có thể định lượng được tính từ các chất phân tích riêng lẻ, nó được thực hiện từ các giá trị đơn lẻ chưa được làm tròn và không bao gồm các giá trị nhỏ hơn giới hạn định lượng, hoặc được biểu thị dưới dạng nhỏ hơn tổng của các LOQ riêng lẻ của các chất phân tích phát hiện khi nồng độ tát cả các chất phát hiện đều <LOQ. Đối với chỉ tiêu phân tích vi sinh, theo phương pháp thử nghiệm đổ đĩa với hệ số pha loãng ban đầu là 10, mẫu không phát hiện khuẩn lạc được trả kết quả <10 cfu/g (hoặc <10 cfu/mL) nếu 1 mL dịch pha loãng đã được ủ hoặc <1 cfu/g (hoặc <10 cfu/mL) nếu 10 mL dịch pha loãng thêm 10 lần, <1 cfu/mL đối với mẫu có thể rút được mà không pha loãng, <10 cfu/mẫu (hoặc <10 cfu/mẫu vệ sinh công nghiệp yêu cầu báo cáo trên toàn bộ mẫu được kiểm, hoặc <10 cfu/diện tích đối với mẫu vệ sinh công nghiệp yêu cầu báo cáo trên toàn bộ mẫu được kiểm, hoặc <10 cfu/diện tích đối với mẫu vệ sinh công nghiệp yêu cầu báo cáo trên toàn bộ mẫu được kiểm, hoặc <10 cfu/diện tích đối với mẫu vệ sinh công nghiệp yêu cầu báo cáo trên toàn bộ mẫu được kiểm, hoặc <10 cfu/diện tích đối với mẫu vệ sinh công nghiệp yêu cầu báo cáo trên toàn bộ mâu được kiểm, hoặc <10 cfu/diện tích đối với mẫu vệ sinh công nghiệp yêu cầu báo cáo được trả kết quả <1 cfu/thể tích mẫu được kiểm; theo kỹ thuật đếm số có xác suất lớn nhất, nếu không có bất kì phản ứng nào nghi ngờ sau khoảng thời gian ủ qui định, kết quả là âm tính và báo cáo được thể hiện là 0 MPN/g (hoặc 0 MPN/mL) với mẫu đã được pha loãng 10 lần (tương ứng với hàm lượng mẫu 0.1 g (hoặc 0.1 mL) ở dãy ống có nồng độ cao nhất), 0 MPN/0.1g (hoặc <0 MPN/0.1mL) với nền mẫu nước (tương ứng với hàm lượng mẫu 10 mL ở dãy ống có nồng độ cao nhất).

- \_(a) Refer to LOD/LOQ of the individual analytes that were used to calculate the sum analyte.
- \_(a) Tham khảo LOD/LOQ của từng chất riêng lẻ tương ứng được dùng để tính chỉ tiêu tổng.
- Analysis method/ Phương pháp kiểm nghiệm:
  - QuPPe-PO Method (EURL-SRM ver 12.2, 2023) (Chlormequat (sum), Ethephon)
  - EN 15662:2018 (Others)

#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam

Can The Laboratory: Korsa - VN Inculsion Bark in Can The St. St.

Can The Laboratory: Korea - VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam t(84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

<a href="http://www.sos.com/en/Terms-and-Conditions.aspx">http://www.sos.com/en/Terms-and-Conditions.aspx</a>. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

This document is issued by the Company subject to its General Conditions of Service







Page N° 8/9

| PE | STICIDES LIST ANNEX/ PHŲ LỤC DANH MỤC THUỐC BẢO VỆ THỰC VẬT:  |   |        |       |    |   |                            | Unit/ Đơn vị: mg/kg |       |  |
|----|---|---|--------|-------|----|---|----------------------------|---------------------|-------|--|
| No | Name  | CAS No.                                       | LOD    | LOQ   | No | Name  | CAS No.                    | LOD                 | LOQ   |  |
| 1  | Abamectin B1a (sum of Avermectin B1a and<br>8,9-Z-Abamectin B1a expressed as Abamectin<br>B1a) <sup>(4)</sup>         | 65195-55-3                                    | 0.001  | 0.002 | 2  | Aldrin <sup>(*)</sup>   | 309-00-2                   | 0.001               | 0,003 |  |
| 3  | Aldrin and Dieldrin (sum, expressed as dieldrin)  | 309-00-2                                      | _(a)   | _(a)  | 4  | Chlordane (sum of cis- and trans-chlordane)(*)  | 5103-71-9 &<br>5103-74-2   | _(a)                | _(a)  |  |
| 5  | Chiordane, cls-(*)  | 5103-71-9                                     | 0.0003 | 0.001 | 6  | Chlordane, trans-(*)  | 5103-74-2                  | 0.0003              | 0.001 |  |
| 7  | Chlormequat (Sum of Chlormequat and its saits, expressed as Chlormequat-Chloride)                                     | 7003-89-6                                     | 0.003  | 0.01  | 8  | Chlorpyrifos (-ethyl)   | 2921-88-2                  | 0.002               | 0.005 |  |
| 9  | Cyfluthrin (sum of isomers)   | 68359-37-5                                    | 0.002  | 0.005 | 10 | Cyhalothrin-lambda and Cyhalothrin-gamma (sum)  | 91465-08-6 &<br>76703-62-3 | 2                   | 5     |  |
| 11 | Cypermethrin (sum of isomers)   | 52315-07-8                                    | 0.002  | 0.005 | 12 | DDE-p,p'-   | 72-55-9                    | 0.002               | 0.005 |  |
| 13 | DDT (sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD) expressed as DDT)   | 50-29-3,<br>789-02-6,<br>72-55-9 &<br>72-54-8 | _(a)   | _(a)  | 14 | DDT- <b>o</b> .p'-  | 789-02-6                   | 0.002               | 0.005 |  |
| 15 | DDT-p,p'-   | 50-29-3                                       | 0.002  | 0.005 | 16 | Deltamethrin (sum of isomers)   | 52918-63-5                 | 0.002               | 0.005 |  |
| 17 | Demeton-S(*)  | 126-75-0                                      | 0.003  | 0.01  | 18 | Demeton-S-sulfone   | 2496-91-5                  | 0.002               | 0.005 |  |
| 19 | Demeton-S-sulfoxide   | 2496-92-6                                     | 0.002  | 0.005 | 20 | Dieldrin(*)   | 60-57-1                    | 0.001               | 0.003 |  |
| 21 | Dimethoate  | 60-51-5                                       | 0.002  | 0.005 | 22 | Disulfoton  | 298-04-4                   | 0.003               | 0.01  |  |
| 23 | Disulfoton (sum of disulfoton, demeton-S and their sulphoxides and sulphones, expressed as disulfoton) <sup>(*)</sup> | 298-04-4                                      | _(a)   | _(a)  | 24 | Disulfoton Sulfone  | 2497-06-5                  | 0.002               | 0.005 |  |
| 25 | Disulfoton Sulfoxide  | 2497-07-6                                     | 0.002  | 0,005 | 26 | Endosulfan (sum of endosulfan I, endosulfan II<br>and endosulfan sulfate expressed as endosulfan) | 115-29-7                   | _(a)                | _(a)  |  |
| 27 | Endosulfan I  | 959-98-8                                      | 0.003  | 0.01  | 28 | Endosulfan II   | 33213-65-9                 | 0.003               | 0.01  |  |
| 29 | Endosulfan sulfate  | 1031-07-8                                     | 0.002  | 0.005 | 30 | Ethephon  | 16672-87-0                 | 0.003               | 0.01  |  |
| 31 | Ethoprophos   | 13194-48-4                                    | 0,002  | 0.005 | 32 | Fipronii <sup>(*)</sup>   | 120068-37-3                | 0.0003              | 0.001 |  |
| 33 | Fipronil (sum of fipronil and sulfone metabolite expressed as fipronil)   | 120068-37-3                                   | _(a)   | _(a)  | 34 | Fipronil Sulfone(*)   | 120068-36-2                | 0.0003              | 0,001 |  |
| 35 | Flumethrin(*)   | 69770-45-2                                    | 0.01   | 0.03  | 36 | HCH (BHC)-gamma (Lindane)   | 58-89-9                    | 0.002               | 0.005 |  |
| 37 | Heptachlor <sup>(*)</sup>   | 76-44-8                                       | 0.0003 | 0.001 | 38 | Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)                     | 76-44-8                    | _(a)                | _(a)  |  |
| 39 | Heptachlor endo-epoxide (isomer A) <sup>(*)</sup>   | 28044-83-9                                    | 0.0003 | 0.001 | 40 | Heptachlor epoxide (sum of isomer A and B)  | 76-44-8                    | _(a)                | _(a)  |  |
| 41 | Heptachlor exo-epoxide (Isomer B)(*)  | 1024-57-3                                     | 0.0003 | 0.001 | 42 | Methamidophos   | 10265-92-6                 | 0.002               | 0,005 |  |
| 43 | Penconazole (sum of constituent isomers)  | 66246-88-6                                    | 0.002  | 0.005 | 44 | Piperonyl butoxide  | 51-03-6                    | 0.002               | 0.005 |  |
| 45 | Spinosad (sum of spinosyn A + D)  | 168316-95-8                                   | _(a)   | _(a)  | 46 | Spinosyn A  | 131929-60-7                | 0.002               | 0.005 |  |
| 47 | Spinosyn D  | 131929-63-0                                   | 0.002  | 0.005 | 48 | TDE (DDD), p,p'-  | 72-54-8                    | 0.002               | 0.005 |  |
| 49 | Tebufenozide  | 112410-23-8                                   | 0.002  | 0.005 |    |   |                            |                     |       |  |

REPORT RESULTS REFER TO SUBMITTED SAMPLE(S) ONLY AND SUCH SAMPLE(S) ARE RETAINED FOR 15 DAYS ONLY IF THERE ARE NO OTHER SPECIFIC STATEMENTS Kết quả phân tích chỉ có giá trị trên mẫu đã nhận tại phòng thí nghiệm và mẫu được lưu trữ trong vòng 15 ngày nếu không có thông báo đặc biệt khác

This report cancels and supersedes the report No. 0000472019 - Date: 25/03/2024 issued by SGS Vietnam Ltd. Báo cáo này hủy bỏ và thay thế cho báo cáo có mã số 0000472019 - Ngày: 25/03/2024 được phát hành bởi Công ty SGS Việt Nam TNHH.

\*\*\* END OF THE REPORT \*\*\*

#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam

t(84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest











Report Nº: 0000472095



Page Nº 9/9

Signed for and on behalf of SGS Vietnam LTD Thay Mặt Công ty SGS Việt Nam Lâm Văn Xự



Lâm Văn Xự Giám Đốc Ngành Sức Khỏe Và Dinh Dưỡng



#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Vo Thi Sau Ward, Dist.3, Ho Chi Minh City, Vietnam <u>HCM Laboratory:</u> Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea - VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam t(84-28) 3935 1920 f(84-28) 3935 1921 www.sqs.vn

This document is issued by the Company subject to its General Conditions of Service 

<a href="http://www.sgs.com/en/Terms-and-Conditions.aspx2">http://www.sgs.com/en/Terms-and-Conditions.aspx2</a>. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 800. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.